



SAVSOL R2U COOLANT

DESCRIPTION:

SAVSOL R2U COOLANT is pre diluted READY-TO-USE Anti-freeze coolant for wide range of radiators in various applications. The special inhibitor formula provides excellent heat transfer from engine components and excellent corrosion protection of all engine and cooling components. It is based on advanced OAT and free from nitrite, amines, silicates, borates and phosphates.

APPLICATION:

SAVSOL R2U COOLANT is recommended for use in radiators of all advanced engines of trucks, buses, LCVs, cars, SUVs, tractors, earth moving and construction equipment's and highly loaded engines used in tropical regions where freezing protection is not required.

SPECIFICATIONS:

SAVSOL R2U COOLANT complies with JIS K2234-2006 Class II & BS 6580 Specifications.

ADVANTAGES:

SAVSOL R2U COOLANT offers the following Advantages:

Advantages:

- Easy to use.
- Excellent cooling.
- Low Evaporation.
- Superior chemical stability.
- No scale formation and No foaming.
- Outstanding heat transfer.
- Superior seal compatibility.
- Excellent corrosion protection.

SAVSOL R2U COOLANT

TECHNICAL SPECIFICATIONS: SAVSOL R2U COOLANT

| PROPERTIES | ASTM TEST METHOD | TYPICAL VALUES |
|--------------------|------------------|----------------|
| Appearance | Visual | Clear & Bright |
| Colour | Visual | Green |
| Density @ 29.5°C | D 1122 | 1.060 |
| pH Value | D 1287 | 8.20 |
| Boiling Point, °C | D 1120 | 108 |
| Freezing Point, °C | D 1177 | -35 |
| Foaming Test, ml | D 1881 | 10/1 |

The above details are typical results of normal production and variations in these characteristics may occur. The information contained herein is subject to change without notification. All recommendations and suggestions are without guarantee and the manufacturers do not accept liability for any loss or damage, however arising, which results directly from the use of such information, nor do we offer any warranty.

Storage:

Store the products indoors and avoid direct sunlight or heat. Please keep the container in closed condition always.

Environment, Health and Safety

- Do not dispose the used oil to soil, drains and water. Dispose the used oil through authorized collection point
- This product is unlikely to present any safety & health hazard when properly used in the recommended application.
- Avoid contact with skin and eyes. After skin contact, wash with water and soap.

Rev.No.01 dtd 30th Oct.2020